

































































Fasteners Index




















Contact us: sales.shanghai@fabory.com

1	Bolts		DIN 931 / ISO 4014		DIN 933 / ISO 4017		DIN 960 / ISO 8765		DIN 961 / ISO 8676		ASME B18.2.1		
			Code: 04400 / 04405		Code: 01050		DIN 6921		DIN 609		DIN 603		DIN 603/555
			DIN 604/555		DIN 605/555		DIN 15237		DIN 479		DIN 561		Code: 06000
			EN 14399-4 		EN 14399-4 		EN 14399-6 		DIN 6918 		EN 15048 		Code: 56661
2	Hexagon socket products		DIN 912		ASME B18.3		DIN 7984 / DIN 6912		ISO 10642		ISO 10642 Hexalobular		
			ISO 7380		Code: 07380-2		Code: 07095		ISO 7379		DIN 916		DIN 913
			DIN 914		DIN 915		Code: 07760		DIN 906		DIN 908		DIN 910
			DIN 914		DIN 915		Code: 07760		DIN 906		DIN 908		DIN 910
3	Nuts, rivet nuts & inserts		ISO 4032 / DIN 934		ASME B18.2.2		DIN 439		Code: 11400		Code: 11398		
			Code: 11396		Code: 11393		DIN 982/985		DIN 980V		Code: 13100		Code: 12470
			Code: 01150		DIN 6923		DIN 6926		Code: 11490		DIN 7967		DIN 935(-1)
			Code: 15000 		DIN 1587		DIN 917		DIN 986		Code: 16250		DIN 315
			DIN 80701		DIN 80704		DIN 929		Code: 14200		DIN 928		DIN 466

					
DIN 562	DIN 557	DIN 1804 W	Code: 11401	Code: 11790	Code: 11560
					
Code: 69135	Code: 69435	Code: 69975	DIN 8140-1 A	Code: 71090	Code: 71760
	4 Threaded rods & studbolts				
Code: 71550		DIN 976-1A	Code: 20460	Code: 20470	Code: 22080
			5 Hook & eye products		
DIN 938 / 939	DIN 835	DIN 2510 L/NF		DIN 186 B	DIN 444 B/LB
					
DIN 580	DIN 582	DIN 1478	DIN 1479	DIN 1480	DIN 82101 A
					
Code: 16817	DIN 741 / 555	Code: 16833	Code: 16831	Code: 17420	Code: 17020
	6 Screws				
Code: 17310		DIN 551	DIN 84	DIN 85	DIN 920
					
DIN 921	NF E25-129	DIN 404	DIN 963	DIN 964	DIN 923
					
DIN 6900	DIN 7985	ISO 14583	ISO 14580	DIN 965	DIN 966
					
DIN 7516	DIN 7513	DIN 7500	Code: 67552	Code: 51798	DIN 7971 C
					
DIN 7972 C	DIN 7973 C	DIN 7981 C	ISO 14585C	DIN 7982 C	DIN 7983 C
					
Code: 26456	DIN 6928 C	DIN 7976 C	Code: 72045	Code: 51651	DIN 571

 Code: 31710	 Code: 31781	 Code: 51760	 DIN 7504	 Code: 31445	 Code: 31426
 Code: 29240	 Code: 30125	 Code: 29340	 Code: 30225	 Code: 30250	 Code: 55561
 DIN 95	 DIN 96	 DIN 7996	 DIN 97	 DIN 7997	 Code: 51781
 DIN 464	 DIN 653	 DIN 316	7 Washers & O-rings		
 DIN 7349	 DIN 433	 DIN 125-1B	 DIN 9021	 DIN 440 R	 NF E25-513
 Code: 38400	 DIN 127 B	 DIN 7980	 DIN 74361 C	 DIN 137 B	 DIN 137 A
 DIN 128 A	 DIN 6798 V	 DIN 6798 J	 DIN 6798 A	 DIN 6797 J	 DIN 6797 A
 DIN 43699	 DIN 2093 A/B/C	 DIN 6796	 Code: 37980	 Code: 37981	 NF E25-511
 Code: 37265	 Code: 37900	 DIN 93	 DIN 463	 DIN 462	 DIN 471
 DIN 472	 DIN 6799	 Code: 36230	 Code: 36265	 Code: 37840	 DIN 705 A
 DIN 988	 DIN 436	 DIN 434/435	 DIN 7603 A	 Code: 38793	 Code: 38801
 Code: 38840	8 Anchoring products				
 Code: 70520	 Code: 70522	 Code: 30550	 Code: 63323		

 Code: 09610	 Code: 63320	 Code: 63260	 Code: 65450	 Code: 63421	 Code: 63187
 Code: 63186	 Code: 63240	 Code: 30500	 Code: 63100	 Code: 63261	 Code: 63309
 Code: 63611	 Code: 63190	 Code: 65421	 Code: 18040	 Code: 20750	9 Rivets, pins & keys
 DIN 1B	 DIN 7 / DIN 6325	 DIN 7977	 DIN 7978 A	 DIN 7979 D	 DIN 1470
 DIN 1471	 DIN 1472	 DIN 1473	 DIN 1474	 DIN 1475	 DIN 1476
 Code: 27410	 ISO 8750 / ISO 8748	 DIN 1481 / ISO 8752	 DIN 660	 DIN 661	 DIN 1434
 DIN 94	 DIN 11024	 Code: 39680	 Code: 39660	 DIN 6880	 DIN 6888
 DIN 6887	 DIN 6885 A	 DIN 7337 A	 ISO 15977	 Code: 34120	 Code: 34350
10 Systems, furniture & security fasteners	 DIN 787	 DIN 508	 DIN 6330 B	 DIN 6331	 DIN 6319 C/D
 DIN 6340	 Code: 61850	 Code: 61035	 Code: 61355	 Code: 61944	 Code: 61941
 Code: 61942	 Code: 61937	 Code: 61290	 Code: 61951	 Code: 61420	 Code: 64100
 Code: 64130	 Code: 64275	 Code: 60311	 Code: 60331	 Code: 62255	 Code: 62411

					
Code: 62272	Code: 62303	Code: 14100	Code: 14440	DIN 7965	Code: 14446
					
Code: 14441	Code: 51546	Code: 47710	Code: 56792	Code: 56795	Code: 51097
					
Code: 51036	Code: 51037	Code: 51591	Code: 51592	Code: 51673	Code: 51190
11 Assortments & storage systems				12 Engineering parts & machine parts	 
	Code: 41000	Code: 41010	Code: W1201		Code: 30650
					
Code: 43060	Code: 43024	Code: 43061	Code: 43073	Code: 43025	Code: 43110
					
Code: 43270	Code: 17260	Code: 64500	DIN 71412	DIN 71802 AS	DIN 808 D/E
					
DIN 71752	DIN 648 B	DIN 648 A	Code: 56950	Code: 56977	Code: 56952
					
Code: 57770	DIN 2095	DIN 2097	DIN 319	DIN 6336 K/L	Code: 57043
					
Code: 57025	Code: 57066	Code: 56961	DIN 950	ISO 3290	Code: 38900
	 	 	13 Maritime products		
Code: 38950	Code: 30901	Code: 30905		Code: 54156	Code: 54232
					
Code: 54500	Code: 54630	Code: 54701	Code: 54703	Code: 54165	Code: 54170
					
Code: 54171	Code: 54200	Code: 54210	Code: 54219	Code: 54100	Code: 54114

Fabory offers you more than 75,000 high-quality fasteners. We can provide you with a suitable fastener for every imaginable application. To support the fasteners range, an extensive range of A-brand tools and industrial supplies is available. 98% of our articles are available from stock.

EXTENSIVE FASTENERS RANGE

Nuts, bolts, screws, washers, threaded rods, stud bolts, anchoring products, pins, keys, rivets and blind rivets are just a fraction of our assortment. All are available in a wide range of materials. From steel to stainless steel, brass and copper to titanium, even kuprodor and plastic. You can choose from the same extensive range in threads: metric, metric fine, UNC, UNF, Whitworth, BSF, and more.

FASTENERS INDEX

This Fasteners index represents the wide variety of fasteners that we offer. The articles have been ordered by the leading norms with which they comply. Alternative norms have been included as well. The fasteners that are shown by article group code complete the range. If you require a fastener related to these article groups, please contact us and we take care of it.

SURFACE TREATMENTS

Our fasteners come in a variety of surface treatments, such as electrolytically galvanised, transparent, white, yellow, green or black passivated. Also available are mechanical zinc plated, hot dip galvanized and zinc flake coatings (such as Geomet, Delta Protekt). Most fasteners are available with Cr6+ free coatings for RoHS or ELV compliant applications.

QUALITY

Quality is at the core of your organization so that is what we focus on. You can see it in our products, services and people. We only cooperate with producers who are able to supply top-quality products and quality assurance. Upon receipt, articles are subjected to a series of checks in our own independently accredited laboratories to ensure that all products comply with the most stringent quality standards.

SUPPORT AND SERVICES

Our highly skilled staff provides all relevant technical support and advice. In addition, a dedicated team of technical experts can support you in finding the right fixing solution. Fabory also offers effective stock management solutions which will help you reduce costs. These can be made to fit in your operation perfectly.

Our team of 1,500 fastener experts operates from more than 75 locations in 16 countries worldwide. Please visit www.fabory.com to find your nearest Fabory location. Our website offers you our complete assortment online so that you have access to our products and product information on a 24/7 basis.



DIN	ISO	Description	Section
1 B	2339 B	Taper pin turned	09
7	2338	Parallel pin (dowel pin)	09
84	1207	Slotted cheese head screw	06
85	1580	Slotted pan head screw	06
93		Tab washer with long tab	07
94	1234	Split pin (cotter pin)	09
95		Slotted raised countersunk head wood screw	06
96		Slotted round head wood screw	06
97		Slotted countersunk (flat) head wood screw	06
125-1A	7089	Plain washer	07
125-1B	7090	Single chamfer plain washer	07
127 B		Helical spring lock washer	07
128 A		Curved spring lock washer	07
137 A		Curved spring washer	07
137 B		Wave spring washer	07
186 B		T-Head bolt with square neck	05
315		Wing nut rounded wings	03
316		Wing screw rounded wings	06
≈319		Ball knob	12
404		Slotted capstan screw	06
433	7092	Plain washer for cheese head screws	07
435		Square taper washer 14% for I-sections	07
436		Square washer	07
439 B		Hexagon thin nut	03
440 R	7094	Washer for wood construction	07
440V		Washer for wood constructions	07
444 B		Eye bolt	05
462		Internal tab washer	07
463		Tab washer with long tab and wing	07
464		Knurled thumb screw high type	06
466		Knurled thumb nut high type	03
471		Retaining ring for shaft - normal type	07
472		Retaining ring for bores - normal type	07
479		Square head bolt with short dog point	01
508	299	Nut for T-slot	10
529 E		Masonry bolt type E	08
551	4766	Slotted set screw with flat point	06
557		Square nut	03
561		Hexagon head set screw with small hexagon and dog point	01
562		Square thin nut	03
571		Hexagon head wood screw	06
580	3266	Lifting eye bolt with CE marking	05
582		Lifting eye nut with CE marking	05
603	8677	Carriage bolt	01
603/555	8677/-	Carriage bolt with hexagon nut	01
604/555		Flat countersunk nib bolt with hexagon nut	01
605/555		Flat countersunk square neck bolt with long square with hexagon nut	01
609		Hexagon fit bolt with long thread	01
648 A	12240-4	Spherical plain bearing rod end with external thread	12
648 B	12240-4	Spherical plain bearing rod end with internal thread type SFC	12
653		Knurled thumb screw thin type	06
660/124	1051	Round head rivet	09
661/302	1051	Countersunk head rivet	09
705A		Adjusting ring with set screw	07
741/555		Wire rope clip	05
787	299	Bolt and screw for T-slots	10
808 D		Cardan joint double	12
835		Stud metal end ≈ 2d	04
906		Hexagon socket pipe plug with external tapered screw thread MF	02
908		Hexagon socket screw plug MF	02
910		Hexagon head screw plug MF	02
912	4762	Hexagon socket head cap screw	02
913	4026	Hexagon socket set screw with flat point	02
914	4027	Hexagon socket set screw with cone point	02
915	4028	Hexagon socket set screw with dog point	02

DIN	ISO	Description	Section
916	4029	Hexagon socket set screw with cup point	02
917	1617	Hexagon cap nut low type	03
920		Slotted pan head screw small head	06
921		Slotted pan head screw large head	06
923		Slotted pan head screw with shoulder	06
928		Square weld nut	03
929		Hexagon weld nut	03
935-1		Hexagon slotted and castle nut	03
938		Stud metal end ≈ 1d	04
950		Handwheel AL	12
963	2009	Slotted countersunk head screw	06
964	2010	Slotted raised countersunk head screw	06
965	7046-1	Cross recessed countersunk head screw	06
966	7047	Cross recessed raised countersunk head screw	06
976-1A		Threaded rod	04
980V	7042	Prevailing torque type hexagon nut all metal	03
985	7040	Prevailing torque type hexagon nut with non-metallic insert	03
986		Prevailing torque type hexagon domed cap nut with non-metallic insert	03
988		Shim ring	07
1434		Clevis pin with head and split pin hole	09
1470	8739	Grooved pin, full length parallel grooved with pilot	09
1471	8744	Grooved pin, full length taper grooved	09
1472	8745	Grooved pin, half length taper grooved	09
1473	8740	Grooved pin, full length parallel with chamfer	09
1474	8741	Grooved pin, half length reverse	09
1475	8742	Grooved pin, third length center	09
1476	8746	Round head grooved pin	09
1478		Turnbuckle made from tube	05
≈1479		Hexagon turnbuckle	05
≈1480		Turnbuckle with hook and eye	05
1587		Hexagon domed cap nut, high type	03
1804 W		Slotted round nut for hook spanners	03
2093 A		Disc spring for critical applications type A (heavy)	07
2095		Helical compression spring	12
2097		Helical tension spring with English eye	12
2510 L/NF		Double end stud with reduced shank with 2 hexagon nuts	04
≈5401	3290	Technical ball	12
6319		Spherical- and conical washer	10
6330 B		Hexagon nut	10
6331		Hexagon nut with collar	10
6334		Hexagon connection nut height 3 x d	03
≈6336 K		Star grip type K	12
6340		Washer for clamping device	10
6796		Conical spring washer for bolted connections	07
6797 A		Toothed lock washer external teeth	07
6797 J		Toothed lock washer internal teeth	07
6798 A		Serrated lock washer external teeth	07
6798 J		Serrated lock washer internal teeth	07
6798 V		Countersunk serrated lock washer external teeth	07
6799		Retaining washer for shafts	07
6880		Bright key steel length 1 meter	09
6885 A	R 773	Parallel key high type	09
6887	R 774	Taper key with gib head	09
6888	3912	Woodruff key	09
≈6900	≈10644	Slotted screw and washer assembly with plain washer	06
6918		Square taper washer 8% for U-section	01
6921	≈4162	Hexagon bolt with flange	01
6923	4161	Hexagon nut with flange	03
6926	7043	Prevailing torque type hexagon flange nut with non-metallic insert	03
≈6928 C	≈7053 C	Hexagon washer faced head tapping screw	06
≈7337 A		Multigrip blind rivet domed head, Type A	09
7349		Washer for bolts with heavy type spring pins	07
≈7500		Hexagon head thread rolling screw with flange	06
≈7504 M-H	≈15481 H	Self drilling screw pan head cross recessed	06

DIN	ISO	Description	Section
7513 A		Hexagon head thread cutting screw	06
7516 AE-H		Cross recessed raised cheese head thread cutting screw	06
7603 A/C		Sealing ring	07
7965		Slotted screw insert	10
7967		Self-locking counter nut	03
7971	1481	Slotted pan head tapping screw	06
7972 C	1482 C	Slotted countersunk head tapping screw	06
7973C	1483 C	Slotted raised countersunk head tapping screw	06
7976	1479	Hexagon head tapping screw	06
7977	8737	Taper pin with external thread	09
7978 A	8736 A	Taper pin with internal thread ground	09
7979 D	8735 A	Parallel pin with internal thread hardened	09
7980		Spring lock washer for screw with cylindrical head	07
7981	7049	Cross recessed pan head tapping screw	06
7982	7050	Cross recessed countersunk head tapping screw	06
7983	7051	Cross recessed raised countersunk head tapping screw	06
7984		Hexagon socket low head cap screw	02
7985	7045	Cross recessed raised cheese head screw	06
7996		Cross recessed round head wood screw	06
7997-Z		Cross recessed countersunk (flat) head wood screw	06
8140-1A		Wire thread insert	03
9021	7093	Plain washer, outer diameter $\approx 3 \times d$	07
≈ 11024		Spring cotter of a bolt, single	09
15237		Seating screw	01
43699		Contact spring washer for switchgear plants	07
≈ 71412		Lubricating nipple cone type	12
71752		Fork joint with spring pin type ES	12
71802 CS		Ball joint	12
74361 C		Conical spring washer	07
80701		Toggle nut	03
80704		Bow nut	03

ISO	DIN	Description	Section
4014	931	Hexagon head bolt	01
4017	933	Hexagon head screw	01
4032		Hexagon nut ISO	03
≈ 7379		Hexagon socket head shoulder screw f9	02
7380-1		Hexagon socket button head screw	02
7380-2		Hexagon socket button head screw with flange	02
8676	961	Hexagon head screw MF	01
8750	7343	Spring-type straight pin (spiral pin) coiled, standard duty	09
8752	1481	Spring-type straight pin slotted, heavy duty	09
8765	960	Hexagon head bolt MF	01
≈ 10642	≈ 7991	Hexalobular socket countersunk head screw	02
10642	7991	Hexagon socket countersunk head screw	02
14580		Hexalobular cap screw low head	06
14583		Hexalobular socket raised cheese head screw	06
14585 C	≈ 7981 C	Hexalobular socket pan head tapping screw	06

ASME	BS	Description	Section
B16.5	4882	Studbolt with 2 hexagon nuts	04
$\approx B18.17$		Wing nut (American) type	03
$\approx B18.2.1$	≈ 1768	Hexagon head bolt UNC	01
$\approx B18.2.2$	≈ 1768	Hexagon nut UNC	03
$\approx B18.3$	≈ 2470	Hexagon socket head cap screw UNC 1960 series	02

EN	ISO	Description	Section
14399-4		High-strength structural bolt	01
14399-4		High-strength structural nut	01
14399-6		High-strength structural washer	01
15048	4017/4032	Structural assembly set	01

NF	Description	Section
$\approx E25-129$	Slotted mushroom head screw	06
E25-511	Contact-lock washer	07
E25-513	Plain washer type L	07

Code	Description	Section
61290	Adjustable tail clamp	10
54170	Aluminium figure eight descender	13
63323	Anchor bolt	08
30550	Anchor bolt ThruFast - ThruMaxx	08
41000	Assortment box plastic	11
41010	Assortment box steel	11
60311	Beam clip type BC	10
38950	Blanking plug	12
69135	Blind rivet nut cylindrical open serrated shank	03
69435	Blind rivet nut reduced countersunk open serrated shank	03
69975	Blind rivet screw cylindrical	03
38793	Bonded seal with rubber	07
47710	Bookscrew	05
16817	Bow (anchor) shackle with screw collar pin	10
57066	Bridge handle (Bowgrip)	12
60331	Cable run clip type CR	10
63240	Cavity fixing	08
54701	Chain	13
64130	Channel	10
63186	Chemical anchor capsule	08
63187	Chemical fixing threaded rod	08
64275	Clamp hanger	10
56961	Clamp lever steel	12
37840	Clamp-adjusting ring with hexagon socket head cap screw	07
43270	Clamping system	12
61942	Clips	10
70520	Concrete anchoring screw hexagon type BT	08
70522	Concrete anchoring screw round head type BT	08
37265	Contact-lock washer type P	07
34120	Countersunk head blind rivet	09
07760	Cover for hexagon socket screw	02
29240	Cross recessed countersunk head screw for chipboard	06
26456	Cross recessed mushroom head tapping screw with flange	06
29340	Cross recessed raised cheese head screw for chipboard	06
57770	Cylindrical mounting type A	12
30250	Decking woodscrew reduced countersunk head with ttap®	06
34110	Domed head blind rivet	12
17310	Dowel screw with width across flats and hexalobular	05
27410	Drive screw	09
14100	Drive-in nut for wood	10
54114	D-Shackle twisted	13
61941	Eccentric steelwork locking system	10
31780	Elastomer sealing ring	06
09610	Expanding plug	08
65450	Expansion shield anchor	08
36230	Fixing washer for shafts (without cap)	07
61355	Flange clamp	10
63190	Frame fixing type F-M	08
61035	Girder clamp components	10
61850	Girder clamp system	10
38900	Grommet	12

Code	Description	Section
64500	Half pipe clamps Steel	12
63611	Hammerfix type N-Z	08
63320	Hammerset anchor	08
30225	Heavy construction woodscrew flange head ttap®	06
43024	Heavy duty hose clamp	12
14441	Hexagon socket flat head cap screw	10
14440	Hexagon socket screw insert	10
14446	Hexagon socket screw insert with collar	10
72045	Hexagon tapping screw with cone end and captive washer	06
63421	High performance anchor type FH II-B	08
54500	Hinge	13
64100	Hinged pipe clamp	10
61944	Hollow section solutions, hexagon	10
30650	Hose clamp band width 9mm	12
43061	Hose clamp Micro	12
43060	Hose clamp Mini	12
43025	Hose clamp two parts	12
57025	Knurled knob	12
39660	Linch pin	09
62411	Locking	10
56952	Locking bolt without locking groove	12
30901	Locking cable tie	12
30905	Locking cable tie stainless steel	12
38400	Mudwing repair washer	07
38801	O-ring	07
38840	O-ring wire	07
61420	Packings	10
51798	Pan head screw for thermo plastics	06
39680	Pipe pin	09
63261	Plasterboard fixing	08
34350	P-LOCK Domed head structural blind rivet	09
15000	Press nut	03
13100	Prevailing torque hexagon nut type H100-ESN	03
11490	Prevailing torque type hexagon nut with captive toothed lock washer	03
11790	Prevailing torque type slotted round nut with non-metallic insert type GUK	03
56661	Protecting cap for hexagon bolts, screws and nuts	01
54703	Quick link for chains	13
61937	Rail clip	10
67552	Raised cheese head thread forming screw with Torx®recess	06
65421	Rawlnut rubber with brass threaded bush	08
11393	Reducer	03
71090	Repair kit with wire thread inserts	03
37900	Retaining ring for hexagon bolt and nut	07
62303	Rivet spring plate	10
31710	Roofing and front bolt with elastomer sealing ring	06
54171	Rope shortener	13
11401	Round connection nut	03
20470	Round nut Tr	04
43110	Rubber lined clip	12
17020	Screw eye	05
17420	Screw eye Metric	05
51037	SECURITY Button head screw hexalobular with pin	10
51592	SECURITY Countersunk head screw with 2 holes	10
51036	SECURITY Hexagon socket button head screw with pin	10
51673	SECURITY Hexagon socket countersunk head screw with plug	10
51591	SECURITY Pan head screw with 2 holes	10
51097	SECURITY Shear nut	10
61951	Self adjustable tail clamp	10
71550	Self-cutting threaded insert type 302	03
31426	Self-drilling countersunk screw with wings Torx® UNC	06
31445	Self-drilling mushroom head screw with SR recess	06
04400	Self-locking hexagon bolt with flange	01
01150	Self-locking hexagon nut	03
12470	Self-locking hexagon nut with flange	03
07095	Self-locking hexagon socket head cap screw with flange	02
36265	SL clip for bolts and shafts	07

Code	Description	Section
11560	Slotted countersunk (110°) nut	03
56950	Slotted spring plunger with ball	12
16833	Snap hook (carabine hook)	05
11396	Spacer with 2x internal thread H1200	03
11398	Spacer with internal thread and external threaded stud type H1202	03
14200	Spot weld nut	03
54165	Spring hook aluminium	13
56977	Spring plunger with pin and hexagon socket	12
62272	Stud with slotted head	10
54210	Swage stud	13
54156	Swivel snap shackle	13
51651	Tapping screw socket head	06
54219	Terminal	13
55561	Terrace screw cylindrical head	06
16831	Thimble	05
71760	Thread repair kit Metric	03
20460	Threaded rod Tr	04
62255	Toggle latch	10
63260	Toggle plug	08
06000	Trackshoe bolt type caterpillar	01
54100	Trailer hook	13
54630	Transom mount ski tow	13
56792	Tube cap round	10
56795	Tube cap square	10
18040	Tube insert No. 995G	08
63309	Turbo anchor FTP steel	08
54200	Turnbuckle	13
51546	Turned cup washers	10
57043	Turning knob 4-grips	12
43073	Two-ear clip	12
17260	U-bolt type A	12
30125	Universal woodscrew raised cheese head with ttap®	06
37981	Vibration proof washer conical	07
37980	Vibration proof washer flat	07
63100	Wall plug type S	08
30500	Wall plug Unifast	08
W1201	Warehouse cabinets	07
51190	Welding stud	10
51760	Window screw caphead washer	06
54232	Wire rope	13
51781	Woodscrew with washers Pozidriv	06

Find all our products easily on www.fabory.com by using the international standards, product codes and descriptions!

© Copyright Fabory group of companies.
No part of any catalogues, diskettes, cd-roms, brochures, tables or technical information supplied, may be copied or duplicated for any purpose whatsoever without our express permission. No rights may be derived from any omissions or inaccurate information. The (technical) data have been compiled with the greatest care and to the best of our ability; however no liability is accepted and the right to make changes is reserved.